

**Application for the review of a premises licence or club premises certificate under the
Licensing Act 2003**

PLEASE READ THE FOLLOWING INSTRUCTIONS FIRST

Before completing this form please read the guidance notes at the end of the form.
If you are completing this form by hand please write legibly in block capitals. In all cases ensure that your answers are inside the boxes and written in black ink. Use additional sheets if necessary. You may wish to keep a copy of the completed form for your records.

I Sarah Mason

(Insert name of applicant)

apply for the review of a premises licence under section 51

Part 1 – Premises or club premises details

Postal address of premises or, if none, ordnance survey map reference or description Blackbird News 222 Blackbird Road	
Post town Leicester	Post code (if known) LE4 0AF

Name of premises licence holder or club holding club premises certificate (if known) Pirthrap Sriskandarsh
--

Number of premises licence or club premises certificate (if known)

Part 2 - Applicant details

I am

Please tick ✓ yes

- 1) an individual, body or business which is not a responsible authority (please read guidance note 1, and complete (A) or (B) below)
- 2) a responsible authority (please complete (C) below)
- 3) a member of the club to which this application relates (please complete (A) below)

(A) DETAILS OF INDIVIDUAL APPLICANT (fill in as applicable)

Please tick ✓ yes

Mr

Mrs

Miss

Ms

Other title
(for example, Rev)

Surname

First names

I am 18 years old or over

Please tick ✓ yes

**Current postal
address if
different from
premises
address**

Post town

Post Code

Daytime contact telephone number

**E-mail address
(optional)**

(B) DETAILS OF OTHER APPLICANT

Name and address

Telephone number (if any)

E-mail address (optional)

(C) DETAILS OF RESPONSIBLE AUTHORITY APPLICANT

Name and address

Leicestershire Fire and Rescue Service
4 Geoff Monk Way
Birstall
LE4 3BU

Telephone number (if any)

0116 210 5555

E-mail address (optional)

Firesafety.advisors@leics-fire.gov.uk

This application to review relates to the following licensing objective(s)

- 1) the prevention of crime and disorder
- 2) public safety
- 3) the prevention of public nuisance
- 4) the protection of children from harm

Please tick one or more boxes ✓

Please state the ground(s) for review (please read guidance note 2)

Failure to undertake a fire risk assessment.

Non-compliant with an enforcement notice under article 30 of the Fire Safety Order

Failure to ensure the safety of employees and members of the public.

Please provide as much information as possible to support the application (please read guidance note 3)

In October 2020, a fire broke out at 222 Blackbird Road. The fire crews at the time put up two domestic smoke alarms. Fire Protection Officer Cyril Abadie attended and confirmed that as part of the terms of his licensing he needed a fire risk assessment. He also advised to get interlinked alarms for the shop and the flat above.

Fire Protection Officer Vicky Finn attended on 9 December 2021 to undertake a fire safety audit. It was noted that no fire risk assessment had been undertaken, there were compartmentation issues between the shop and the flat, no interlinked alarms had been fitted, no training had been undertaken with employees, the escape routes were blocked with stock and the rear escape was locked with a key. Fire Protection officer Vicky Finn wrote to the owner advising how he can rectify these issues and gave a three-month timeline. An enforcement notice was issued under article 30 the Regulatory Reform (Fire Safety Order 2005).

On 16 March 2022 at 2pm, myself fire protection officer Sarah Mason and fire protection officer Sophie Smith attended for the follow up on the enforcement notice to ascertain what work had been carried out to ensure the enforcement notice had been complied with. I, FPO Mason, asked for a copy of the risk assessment, this hadn't been completed. I asked what training had been provided, the owner confirmed they'd had it 6 months before, I questioned this as the audit in December confirmed they hadn't had training and no training has been done since. The owner confirmed that hadn't sorted the compartmentation issues between the shop and the flat. The rear escape was still difficult to get to because of stock, the rear fire door was locked and the key left next to the door. An interlinked alarm was fitted between the shop and the flat above which was fitted by LFRS as an interim measure.

Please tick ✓ yes

Have you made an application for review relating to the premises before

If yes please state the date of that application

Day	Month	Year
<input type="text"/>	<input type="text"/>	<input type="text"/>

If you have made representations before relating to the premises please state what they were and when you made them

Please tick ✓

yes

- I have sent copies of this form and enclosures to the responsible authorities and the premises licence holder or club holding the club premises certificate, as appropriate
- I understand that if I do not comply with the above requirements my application will be rejected

IT IS AN OFFENCE, UNDER SECTION 158 OF THE LICENSING ACT 2003, TO MAKE A FALSE STATEMENT IN OR IN CONNECTION WITH THIS APPLICATION. THOSE WHO MAKE A FALSE STATEMENT MAY BE LIABLE ON SUMMARY CONVICTION TO A FINE OF ANY AMOUNT.

Part 3 – Signatures (please read guidance note 4)

Signature of applicant or applicant’s solicitor or other duly authorised agent (please read guidance note 5). **If signing on behalf of the applicant please state in what capacity.**

Signature 

Date **22/03/2022**

Capacity **Fire Protection Officer**

Contact name (where not previously given) and postal address for correspondence associated with this application (please read guidance note 6)

Leicestershire Fire and Rescue Service
4 Geoff Monk Way

Post town
Birstall

Post Code
LE4 3BU

Telephone number (if any) **0116 210 5555**

If you would prefer us to correspond with you using an e-mail address your e-mail address (optional) 